SPECIFICATIONS

Dot matrix Display 点阵产品规格书





MODEL: TOP-CA-1067BH

上海鼎晖科技股份有限公司

SHANGHAI TOPLITE TECHNOLOGY CO., LTD.

www.ledtoplight.com.cn www.ledtoplite.com



1/6

1. FEATURES

- [∞] Low power requirement,
- X Solid state reliability.
- [∗] Wide viewing angle.
- * Easy mounting on P.C. boards.
- [≫] RoHS compliant.

2. DESCRIPTION

*****TOP-CA-1067BH is a **1.1 inch (27mm) matrix height**

* This device is made with white dots and black surface.

3. APPLICATION

- * Digital readout display.
- [∗] ※ Instrument panels.
- ille like matter → Elevator.


PART NO.	SIZE	CHIP EMITTED COLOR	FACE COLOR
TOPLIGHT-CA-1067BH	1.1 inch (27mm) matrix height	Red	Black



TECHNICAL DATA SHEET TOP-CA-1067BH FOR 1.1 inch (27mm) matrix height

2/6

4. PACKAGE DIMENSIONS & CIRCUIT DIAGRAM





TECHNICAL DATA SHEETTOP-CA-1067BH FOR1.1 inch (27mm) matrix height

3/6

5. ELECTRICAL/OPTICAL CHARACTERISTIC

5-1. ABSOLUTE MAXIMUM RATINGS (Ta=25℃)

PARAMETER	SYMBOL	VALUE	UNIT
Reverse Voltage	V _R	5	V/dot
Forward Current	$I_{\rm F}$	30	mA/dot
Peak Forward Current (1/10 Duty Cycle)	I _{PEAK}	120	mA/dot
Power Dissipation	P _D	80	mW/dot
Operating Temperature Range	T _A	- 25 ~ + 85	°C
Storage Temperature Range	T _{STG}	- 30 ~ + 85	°C
Solder Temperature	Tsol	260/3	°C/s

5-2. ELECTRICAL/OPTICAL CHARACTERISTICS (Ta=25°C)


PARAMETER	SYMBOL		MIN.	ТҮР.	MAX.	UNIT	TEST CONDITIONS
Luminous Intensity	Iv	М	6145	7066	7987	ucd	I _F =10mA
		N	7988	9185	10383		
		Р	10384	11941	13499		
Forward Voltage	V _F		1.70	1.85	2.20	v/dot	I _F =20mA
Chromatographer	λ _p		-	640	-	nm	I _F =20mA
Spectral Line Half-Width	Δλ		-	20	-	nm	I _F =20mA
Reverse Current	I _R		-	-	20	uA	V _R =5v



TECHNICAL DATA SHEET TOP-CA-1067BH FOR 1.1 inch (27mm) matrix height

4/6

5-3. ELECTRICAL/OPTICAL CHARACTERISTIC CURVES





TECHNICAL DATA SHEET TOP-CA-1067BH FOR 1.1 inch (27mm) matrix height

5/6

6. QUALITY CONTROL AND ASSURANCE

CLASSIFICATION	TEST ITEM	TEST CONDITION			
ENDUTRANCE TEST	OPERATION LIFE	Ta=under room temperature If=12mA-25mA per segment or Ip=80mA/duty=1/8,Pw=1.25mS Ip=160mA/duty=1/16,Pw=1.mS(DOT) Test time=1000HRS(-24HRS+72HRS)			
	MOISTURE	Ta=65°C±5°C RH=90-95% Test time=240HRS±2HRS			
	HIGH TEMPERATURE HIGH HUMIDITY REVERSE BIAS	Ta=65°C±5°C RH=90-95% VR=5V Test time=500hrs(-24HRS+48HRS)			
	HIGH TEMPERATURE STORAGE	To evaluate device's durability for long term storage in high temperature Ta=85°C±5°C Test time=1000HRS(-24HRS+72HRS)			
	LOW TEMPERATURE STORAGE	Ta=-35°C \pm 5°C Test time=1000HRS(-24HRS+72HRS)			
ENVIRONMENTAL TEST	TEMPERATURE CYCLING	Ta=85°C \sim 25°C \sim -35°C time=30min 5min 30min 5min Cycle test:10cycles			
	THERMAL SHOCK	Ta=85°C±5°C~-35°C±5°C time=10min 10min Cycle test:10cycles			
	SOLOER RESISTANCE	T.sol=260°C±5°C time=10±1sec			
	SOLOER ABILITY	T.sol=230°C±5°C time=5±1sec			




TECHNICAL DATA SHEET TOP-CA-1067BH FOR **1.1 inch (27mm) matrix height**

6/6

7. SOLDERING CONDITIONS

The recommended conditions for soldering are as follows. Because the component is made with epoxy resin, the units are susceptible to heat. Therefore, the preheating and soldering temperatures should be kept as low as possible to avoid damage.

- 7-1. Manual Soldering Conditions(with 1.5mm Iron tip). Iron Tip Temperature: 350°C Max, Time: 3s Max. Position: The iron should be situated at least 2mm away from the root of the leads.
- 7-2. Through the Wave Soldering Conditions Wave Soldering Profile For Lead-free Through-hole LED.



- **7-3.** Soldering General Notes:
 - a. Recommend manual soldering to be used only for repair and rework purposes. The soldering iron should not exceed 30W in power. The tip of the soldering iron should not touch the reflector case to avoid heat-damage.
 - b. Maintain the pre-heat and peak temperatures with dip units as low as possible and the times as short as is feasible, since the products are susceptible to heat during flow soldering.
 - c. After soldering, least three minutes for the component to cool to room temperature before further operations.
 - d. If components will undergo multiple soldering processes, or other processes where the components may be subjected to intense heat, please check with for compatibility.